

**ACETAMINOPHEN 250MG ASPIRIN 250MG CAFFEINE 65MG- acetaminophen 250mg
aspirin 250mg caffeine 65mg tablet
CVS Pharmacy**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Headache Relief Geltabs

Acetaminophen 250mg, Aspirin 250mg, Caffeine 65mg

Acetaminophen 250mg

Aspirin 250mg

Caffeine 65mg

ammonium hydroxide, black iron oxide, brilliant blue FCF, corn starch, D&C yellow No. 10 lake, ethyl cellulose, FD&C blue No. 1 lake, FD&C red No. 40 lake, gelatin, glycerin, hydroxypropyl methyl cellulose, lactose monohydrate, light liquid paraffin, microcrystalline cellulose, povidone, pregelatinised starch, propylene glycol, shellac glaze, sorbitol sorbitan, stearic acid, talc, titanium dioxide, triacetin.

- Do not use more than directed
- Drink a full glass of water with each dose
- Adults and children 12 years and over: take 2 geltabs every 6 hours; not more than 8 geltabs in 24 hours
- Children under 12 years: ask a doctor

Temporarily relieves minor aches and pains due to:

Headache, a cold, arthritis, muscular aches, toothache, premenstrual and menstrual cramps

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: hives, facial swelling, asthma (wheezing), shock.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 8 geltabs in 24 hours, which is the maximum daily amount, with other drugs contains acetaminophen, 3 or more alcoholic drinks every day while using this product.

Stomach bleeding warning: This contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others), have 3 or more alcoholic drinks every day while using product, take more or for a longer time than direct.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use if you have ever had an allergic reaction to acetaminophen, aspirin, or any other pain

reliever/ fever, with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease, stomach bleeding warning applies to you, you have a history of stomach problems, such as heartburn, you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, you are taking a diuretic, you have asthma.

Ask a doctor or pharmacist before use if you are taking a prescription drug for diabetes, gout, or arthritis, any other drug, or are under a doctor's care for any serious condition.

Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away. You experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better, ringing in the ears or loss of hearing occurs, painful area is red or swollen, pain gets worse or lasts for more than 10 days, fever gets worse or lasts for more than 3 days, any new symptoms occur. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

Keep out of reach of children.

OVERDOSE WARNING: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

Pain reliever

Pain reliever

Pain reliever aid

- Store at room temperature between 20-25 °C (68-77 °F)
- Avoid excessive heat, cold, and humidity
- Close cap tightly after use
- Read all product information before using. Keep box for important information.

CVS Health.

Compare to the active ingredients in
Excedrin® Extra Strength[†]

Geltabs

NDC 59779-232-23

EXTRA STRENGTH

Headache Relief

**ACETAMINOPHEN,
ASPIRIN (NSAID)
& CAFFEINE**

Pain reliever,
Pain reliever aid

20 GEL TABS



Drug Facts (continued)

15 or more alcohol drinks every day while using this product

Stomach bleeding warning:

This product contains an NSAID. The chance is higher if you:

■ are age 60 or older

■ have had stomach ulcers or bleeding problems

■ take a blood thinner (anticoagulant) or second drug NSAIDs (aspirin, ibuprofen, naproxen or others)

■ take other drugs containing a prescription or nonprescription NSAID

■ take 3 or more alcohol-like drinks every day while using this product

■ take more or for a longer time than directed

Caffeine warning:

The recommended dose of this product contains as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and/or a rapidly beating heart beat.

Do not use:

■ if you ever had an allergic reaction to acetaminophen, aspirin or any other pain reliever/fever reducer

■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use:

■ if you have liver disease

■ stomach bleeding warning applies to you

■ you have a history of stomach problems such as heartburn or ulcers

■ you have high blood pressure, heart disease, liver or kidney disease

Ask a doctor or pharmacist before use if you are taking:

■ a prescription drug for diabetes, gout, or arthritis

Drug Facts (continued)

Other information: ■ store at room temperature between 20-25°C (68 to 77°F). ■ avoid excessive heat, cold and humidity. ■ close cap tightly after use. ■ read all product information before using. **Keep outer box for full information.**

Inactive ingredients: ammonium hydroxide, black iron oxide, brilliant blue FCF, corn starch, D&C yellow no. 10 lake, ethyl cellulose, FD&C blue no. 1 lake, FD&C red no. 40 lake, gelatin, glycerin, hydroxypropyl methyl cellulose, isopropyl alcohol, isopropyl alcohol-butyl alcohol, lactose monohydrate, light liquid paraffin, microcrystalline cellulose, polysorbate 85/70/0/0, potassium K-30, pregelatinized starch, propylene glycol, purified water, shellac glaze, stearic acid, talc, titanium dioxide, triclosan

Questions or comments? 1-888-577-8033

Exp Date:
Lol Na
C1597793328 R000-112020

This product is not manufactured or distributed by GSX Consumer Healthcare, distributor of Excedrin® Extra Strength.

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2021 CVS/pharmacy
CVS.com® 1-800-SHOP-CVS
Made in U.A.E.
V-37388

#342594

FPO 80%
UPC# 050428273470

X XXXXX XXXXX X

WARNING: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. KEEP OUTER BOX FOR FULL INFORMATION.

Drug Facts

Active ingredients (in each geltab)

Acetaminophen 250 mg
Aspirin 260 mg (NSAID)*
Caffeine 65 mg
■ nonsteroidal anti-inflammatory drug

Uses

Temporarily relieves minor aches and pains due to: ■ headache
■ a cold ■ arthritis ■ muscular aches ■ toothache
■ menstrual & menstrual cramps

Warnings

Responsone: Children and teenagers who have or are recovering from chickenpox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur consult a doctor because these symptoms could be an early sign of Reye's syndrome. A rare but serious illness.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin rash ■ blisters ■ rash in a skin reaction occurs, stop use and seek medical help right away.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing)

■ shock

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 8 gels/tabs in 24 hours which is the maximum daily amount. ■ with other drugs containing acetaminophen.



ACETAMINOPHEN 250MG ASPIRIN 250MG CAFFEINE 65MG

acetaminophen 250mg aspirin 250mg caffeine 65mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-592
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	250 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	250 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
FERRO SOFERRIC OXIDE (UNII: XM0M87F357)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
STARCH, CORN (UNII: O8232NY3SJ)	
AMMONIA (UNII: 5138Q19F1X)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
TALC (UNII: 7SEV7J4R1U)	
SHELLAC (UNII: 46N107B71O)	
TRIACETIN (UNII: XHX3C3X673)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics

Color	green (Dark Green - White)	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	S77
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-592-80	80 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	
2	NDC:69842-592-23	20 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	02/01/2021	

Labeler - CVS Pharmacy (062312574)

Revised: 1/2021

CVS Pharmacy